





BEARING DRIVESHAFT ANDERSON, INC.



Cylindrical bore



Tapered bore



110 mm x 200 mm x 53 mm SKF 2222 Self aligning ball bearings

Bearing No. 2222

2222 Bearing 2D drawings and 3D CAD models

Size	110x200x53 mm
Bore Diameter	110 mm
Outer Diameter	200 mm
Width	53 mm
d	110 mm
D	200 mm
B	53 mm
C	53 mm
d2	137 mm
r1 min.	2,1 mm
r2 min.	2,1 mm
D1	177 mm
da min.	122 mm
Da max.	188 mm
ra max.	2 mm
Weight	7,1 Kg
Basic dynamic load rating (C)	124 kN
Basic static load rating (C0)	52 kN
Fatigue load limit (Pu)	2,12
Reference speed	6000 r/min
Limiting speed	4300 r/min
Calculation factor (e)	0,28
Calculation factor (kr)	0,04
Calculation factor (Y0)	2,5
Calculation factor (Y1)	2,2



BEARING DRIVESHAFT ANDERSON, INC.

Category	Self Aligning Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	7.254
Product Group	B00152
Mounting Method	Shaft
Enclosure	Open
Rolling Element	Ball Bearing
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Internal Clearance	C0-Medium
Number of Rows of Balls	Double Row
Other Features	Allowable Misalignment 2.5 Deg
Long Description	110MM Bore; Shaft Mount; 200MM Outside Diameter; 53MM Inner Race Width; 53MM Outer Race Width; Open; Steel Cage; Double Row of Balls; ABEC 1 ISO P0; C0-Medium
Inch - Metric	Metric
Category	Self Aligning Ball Bearings
UNSPSC	31171532
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Self Aligning
Manufacturer URL	http://www.skf.com
Outer Race Width	2.087 Inch 53 Millimeter
Bore	4.331 Inch 110 Millimeter
Outside Diameter	7.874 Inch 200 Millimeter
Inner Race Width	2.087 Inch 53 Millimeter
d ₁	138.5 mm



BEARING DRIVESHAFT ANDERSON, INC.

D_1	174.3 mm
$r_{1,2}$ min.	2.1 mm
d_a min.	122 mm
D_a max.	188 mm
r_a max.	2 mm
Basic dynamic load rating C	124 kN
Basic static load rating C_0	52 kN
Fatigue load limit P_u	2.12 kN
Permissible angular misalignment	2.5 °
Calculation factor k_r	0.04
Calculation factor e	0.28
Calculation factor Y_0	2.5
Calculation factor Y_1	2.2
Calculation factor Y_2	3.5
Mass bearing	7.1 kg